

## DATASHEET

# **ACTSAFE ACX POWER ASCENDER**



### **GENERAL**

Art.Nr:	POA-001	Net weight:	30.00 kg
GTIN:	4030281282402	Gross weight:	30.00 kg
Customs tariff number:	84253100		



### DATASHEET

## **ACTSAFE ACX POWER ASCENDER**

The ACX battery-powered hoist is a motorised system to ensure the transport of persons or loads to areas that are difficult to access and where occasional or recurring work is carried out. ACX is used, among other things, for cleaning facades or windows, for the maintenance of complex building structures, for the rotor blade maintenance of wind turbines or for transporting loads on masts. The ACX POWER ASCENDER considerably simplifies and accelerates work on complex structures and makes expensive access systems or lifting platforms superfluous. Countless rescue scenarios can also be carried out efficiently and with minimum effort with the ACX. ACX forms a highly flexible system for easy and cost-efficient cleaning or maintenance. In an emergency, the ACX can be controlled by remote control. The operation and use of the ACX can be learned in special training courses.

#### **FEATURES**

Colour:	Orange	
Number of Rechargeable Batteries:	2	
Battery range at 20° C & 100 kg load:	550 m	
Energy source:	Removeable Battery, POA-004 power supply	
Underwater operations:	No	
Water dust resistance:	IP 55	
Charging time:	90 minutes	
Max. noise level:	76 dB(A)	
Min. noise level:	0 dB(A)	
Minimum compatible rope diameter:	11.00 mm	
Maximum compatible rope diameter:	11.00 mm	
Minimum descent speed:	1 m/min	
Maximum descent speed:	25 m/min	
Min. ascent rate:	1 m/min	
Max. ascent rate:	24 m/min	
Minimum temperature:	-10 °C	
Maximum temperature:	40 °C	
Emergency descent function:	Yes	
Emergency stop function:	Yes	
Remote control range:	150 m	
Working Load Limit:	220 kg	



## DATASHEET

# **ACTSAFE ACX POWER ASCENDER**

#### **MATERIAL**

Material:

Steel, Aluminium,

Nylon